


FIG. 1






FIG.
3




FIG. 4

[illegible]




FIG. 5





FIG. 6






FIG. 8

[illegible]




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14





FIG. 15






FIG. 17




FIG. 18

07630611 004100




FIG. 19





FIG. 20






FIG. 22




FIG. 23

03638017 004100






FIG. 24

**FIG. 25**

**FIG. 26**








FIG. 27

**FIG. 28**

**FIG. 29**

**FIG. 30**

**FIG. 31**





FIG. 32




208




An arrow originates from the label **208** and points diagonally upwards and to the right, terminating at the bottom center of the large block **200**.

FIG. 33




210



FIG. 34



212

FIG. 35



**FIG. 37****FIG. 38**





























Icon	OPTInet bean	Description
260 	Authorize	Interacts with Authorization Plug-In to manage Authorization, Commit, and Reverse requests to the authorization agent.
262 	BackStageControl	Uses the services of DirectorManager to control the URL property of the browser, to load directors, and to receive events from the browser.
264 	CardRead	Device Control
266 	Customer Profile	Interacts with the CustomerProfile Plug-Ins to capture and retrieve information about a customer.
268 	Depositor	Device Control
270 	Dispenser	Device Control
272 	Keypad	Device Control
274 	Logic bean	Determines the truth value of comparisons between two operands.
276 	OCS bean	Interacts with the OCS Server and the Command/Status Plug-In so that host commands and host command responses can be processed by directors.
278 	Presenter	Device Control
280 	PINEntry	Interacts with the PINEntryEvent Server to manage the PIN Entry mode.
282 	Printer	Device Control
284 	Sync	Synchronizes two forked processing paths and provides a timer for one or two processing paths.
286 	TransactionData	Provides a repository of data that can be shared among directors, the browser, and the authorization agent.

FIG. 39

**FIG. 40****FIG. 41**

**FIG. 42****FIG. 43****FIG. 44****FIG. 45**

**FIG. 46****FIG. 47****FIG. 48****FIG. 49**

**FIG. 50****FIG. 51****FIG. 52****FIG. 53**








FIG. 54


**FIG. 55**

700

**FIG. 56**

**FIG. 57**

**FIG. 58**

**FIG. 59**